

CAR T-Cell Therapy Services for the Treatment of Diffuse Large B-cell Lymphoma (axicabtagene cilleucel or tisagenlecleucel) Prior Authorization Request Form #924

Medical Policy #066 Chimeric Antigen Receptor Therapy for Hematologic Malignancies

CLINICAL DOCUMENTATION

- Clinical documentation that supports the medical necessity criteria for CAR T-Cell Therapy Services for the Treatment
 of Diffuse Large B-cell Lymphoma (axicabtagene cilleucel or tisagenlecleucel must be submitted.
- If the patient does not meet all the criteria listed below, please submit a letter of medical necessity with a request for <u>Clinical Exception (Individual Consideration)</u> explaining why an exception is justified.

Requesting Prior Authorization Using Authorization Manager

Providers will need to use <u>Authorization Manager</u> to submit initial authorization requests for services. Authorization Manager, available 24/7, is the quickest way to review authorization requirements, request authorizations, submit clinical documentation, check existing case status, and view/print the decision letter. For commercial members, the requests must meet medical policy guidelines.

To ensure the request is processed accurately and quickly:

- Enter the facility's NPI or provider ID for where services are being performed.
- Enter the appropriate surgeon's NPI or provider ID as the servicing provider, *not* the billing group.

Authorization Manager Resources

Refer to our Authorization Manager page for tips, guides, and video demonstrations.

Complete Prior Authorization Request Form for CAR T-Cell Therapy Services for Treatment of Diffuse Large B-cell Lymphoma (924) using <u>Authorization Manager</u>.

For out of network providers: Requests should still be faxed to 888-973-0726.

Patient Information	
Patient Name:	Today's Date:
BCBSMA ID#:	Date of Treatment:
Date of Birth:	Place of Service: Outpatient Inpatient

Physician Information	Facility Information
Name:	Name:
Address:	Address:
Phone #:	Phone #:
Fax#:	Fax#:
NPI#:	NPI#:

Please check off if the patient is enrolled in a Clinical Trial:

Clinical Trial #

Please check off if the patient has <u>ONE</u> of the following histologically confirmed diagnoses and <u>HAS RELAPSED</u> or is REFRACTORY ^a :	
Diffuse large B-cell lymphoma, not otherwise specified	
Primary mediastinal large B-cell lymphoma	
High-grade B-cell lymphoma ^b	
Diffuse large B-cell lymphoma arising from follicular lymphoma	

^a Relapsed or refractory disease, defined as progression after 2 or more lines of systemic therapy (which may or may not include therapy supported by autologous cell transplant).

^b Tisagenlecleucel intravenous infusion is considered investigational for the treatment of relapsed or refractory primary mediastinal large B-cell lymphoma.

Adult (age ≥18) at the time of infusion	
 Received adequate prior therapy including all of the following: Anti-CD20 monoclonal antibody for CD20-positive tumor Anthracycline-containing chemotherapy regimen For subjects with transformed follicular lymphoma, prior chemotherapy for follicular lymphoma and subsequently have chemorefractory disease after transformation to diffuse large B-cell lymphoma 	
If patient has a history of allogeneic stem cell transplant, has no signs of active graft versus host disease	
No active autoimmune disease requiring systemic immunosuppression	
Has adequate organ and bone marrow function as determined by the treating oncologist/hematologist with no significant deterioration in organ function expected within 4 weeks after apheresis	
Has not received prior FDA approved, CD19-directed, chimeric antigen receptor T therapy, AND	
Does not have primary central nervous system lymphoma.	

Please check off if the facility is part of Risk Evaluation and Mitigation Strategy (REMS)	
The facility delivering the therapy is certified by Kite Pharma that it has an adequate REMS protocol (Risk	
Evaluation and Mitigation Strategy) to address a cytokine release syndrome and neurotoxicity	

Note: Other adoptive immunotherapy, using adoptive cellular therapy for the administration of cytotoxic T-lymphocytes, cytokine-induced killer cells, tumor-infiltrating lymphocytes, antigen-loaded autologous dendritic cells, or genetically-engineered T-cells is considered **INVESTIGATIONAL**.

CPT CODES/ HCPCS CODES/ ICD CODES

HCPCS codes:	Code Description	
C9399	Unclassified drugs or biologicals	
J3490	Unclassified drugs	
J3590	Unclassified biologics	

J9999	Not otherwise classified, antineoplastic drugs	
Q2041	Axicabtagene Ciloleucel, up to 200 Million Autologous Anti-CD19 CAR T Cells, Including	
	Leukapheresis And Dose Preparation Procedures, Per Infusion	
Q2042	Tisagenlecleucel, up to 600 million car-positive viable t cells, including leukapheresis and dose	
	preparation procedures, per therapeutic dose	
S2107	Adoptive immunotherapy, i.e., development of specific anti-tumor reactivity (e.g., tumor infiltrating	
	lymphocyte therapy) per course of treatment	

Providers should enter the <u>relevant diagnosis code(s)</u> below:

Code	Description	

Providers should enter <u>other relevant code(s)</u> below:

Code	Description	